Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	012288	A. BUILDING: _____ B. WING _____	R-C 05/09/2013

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LAMPLIGHT INN OF FORT WAYNE	300 E WASHINGTON BLVD FORT WAYNE, IN 46802

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{R 000}	INITIAL COMMENTS This visit was for a Post Survey Revisit (PSR) to the Investigation of Complaint IN00126748 completed on April 2, 2013. Survey date: May 9, 2013. Facility number: 012288 Provider number: 012288 AIM number: NA Survey team: Christine Fodrea, RN, TC Census bed type: Residential: 99 Total: 99 Census payor type: Other: 99 Total: 99 Sample: 3 Lamplight Inn was found to be in compliance with IAC 16.2 in regard to the PSR to the Investigation of Complaint IN00126748. Quality review completed on May 9, 2013 by Randy Fry RN.	{R 000}		